



# ARL

Analytical Resource Laboratory

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

## Certificate of Analysis

### Client Information

Austin Leaf, LLC  
Austin, TX  
833 AUSTIN-1

### Sample Information


ARL ID: 360710  
Date Received: 7/31/2020  
Description: Kratom Powder Kratom Powder  
Lot#: 0000799

Analysis	Method	MDL	Specification	Results	UOM	Lab ID
Kratom 2A Profile						1
Complete Micro Profile	USP, AOAC					1
Total Plate Count (High Count)	USP <2021>	100	< 10 Million	200000	cfu's/g	1
Coliforms	AOAC 991.14	100	< 10,000	1700	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	< 100,000	1200	cfu's/g	1
Mold (High Count)	USP <2021>	100	< 100,000	2500	cfu's/g	1
Heavy Metals	ARL ICPMS 2.60					1
Arsenic (As)	ARL ICPMS 2.60	0.001	< 2	0.087	ppm	1
Cadmium (Cd)	ARL ICPMS 2.60	0.001	< 0.85	0.049	ppm	1
Mercury (Hg)	ARL ICPMS 2.60	0.001	< 0.41	0.015	ppm	1
Lead (Pb)	ARL ICPMS 2.60	0.001	< 1.2	0.652	ppm	1
Mitragynine Package	HPLC 2.046					1
Mitragynine	HPLC 2.046	0.1	0.25-2.00	1.21	%	1
7-Hydroxy-Mitragynine	HPLC	0.04	0.000-0.100	<0.040	%	1

Form# arlcoa031201a

Printed on: Aug 6, 2020 4:27 PM

experience • professionalism • value

  
Released by: Kara Woodbury  
Aug 6, 2020  
Page 1

\* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.