



**ARL**  
 Analytical Resource Laboratory  
 47-2854223  
 520 South 850 East, Suite B3  
 Lehi, UT 84043  
 801-847-7722  
 www.analyticalresource.com  
 info@yourqualitylab.com

## Certificate of Analysis

### Client Information

Austin Leaf, LLC  
 Austin, TX  
 833 AUSTIN-1

### Sample Information


ARL ID: 383205  
 Date Received: 11/25/2020  
 Description: Kratom Powder Kratom Powder  
 Lot#: 0000986

Analysis	Method	MDL	Specification	Results	UOM	Lab ID
Kratom 2A Profile						1
Complete Micro Profile	USP, AOAC					1
Total Plate Count (High Count)	USP <2021>	100	< 10 Million	62,000	cfu's/g	1
Coliforms	AOAC 991.14	100	< 10,000	300	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	< 100,000	4,000	cfu's/g	1
Mold (High Count)	USP <2021>	100	< 100,000	13,000	cfu's/g	1
Heavy Metals	ARL ICPMS 2.60					1
Arsenic (As)	ARL ICPMS 2.60	0.001	< 2	0.074	ppm	1
Cadmium (Cd)	ARL ICPMS 2.60	0.001	< 0.85	0.048	ppm	1
Mercury (Hg)	ARL ICPMS 2.60	0.001	< 0.41	0.031	ppm	1
Lead (Pb)	ARL ICPMS 2.60	0.001	< 1.2	0.403	ppm	1
Mitragynine Package	HPLC 2.046					1
Mitragynine	HPLC 2.046	0.1	0.25-2.00	1.15	%	1
7-Hydroxy-Mitragynine	HPLC	0.04	0.000-0.100	<0.040	%	1

Form# arlcoa031201a

Printed on: Dec 4, 2020 3:59 PM

experience • professionalism • value

Released by:   
 Jacob Teller  
 Dec 4, 2020  
 Page 1

\* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.