



ARL

Analytical Resource Laboratory

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

Austin Leaf, LLC
Austin, TX
833 AUSTIN-1

Sample Information


ARL ID: 383813
Date Received: 12/1/2020
Description: Kratom Powder Kratom Powder
Lot#: 0000991

Analysis	Method	MDL	Specification	Results	UOM	Lab ID
Kratom 2A Profile						1
Complete Micro Profile	USP, AOAC					1
Total Plate Count (High Count)	USP <2021>	100	< 10 Million	110,000	cfu's/g	1
Coliforms	AOAC 991.14	100	< 10,000	1400	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	< 100,000	1300	cfu's/g	1
Mold (High Count)	USP <2021>	100	< 100,000	2200	cfu's/g	1
Heavy Metals	ARL ICPMS 2.60					1
Arsenic (As)	ARL ICPMS 2.60	0.001	< 2	0.160	ppm	1
Cadmium (Cd)	ARL ICPMS 2.60	0.001	< 0.85	0.040	ppm	1
Mercury (Hg)	ARL ICPMS 2.60	0.001	< 0.41	0.028	ppm	1
Lead (Pb)	ARL ICPMS 2.60	0.001	< 1.2	0.528	ppm	1
Mitragynine Package	HPLC 2.046					1
Mitragynine	HPLC 2.046	0.1	0.25-2.00	1.30	%	1
7-Hydroxy-Mitragynine	HPLC	0.04	0.000-0.100	<0.040	%	1

Form# arlcoa031201a

Printed on: Dec 9, 2020 5:33 PM

experience • professionalism • value

Released by:  Jacob Teller
Dec 9, 2020
Page 1

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.