



ARL
 Analytical Resource Laboratory
 47-2854223
 520 South 850 East, Suite B3
 Lehi, UT 84043
 801-847-7722
 www.analyticalresource.com
 info@yourqualitylab.com

Certificate of Analysis

Client Information

Austin Leaf, LLC
 Austin, TX
 833 Austin-1

Sample Information


ARL ID: 376601
 Date Received: 10/23/2020
 Description: Kratom Powder Kratom Powder
 Lot#: 0000939

Analysis	Method	MDL	Specification	Results	UOM	Lab ID
Kratom 2A Profile						1
Complete Micro Profile	USP, AOAC					1
Total Plate Count (High Count)	USP <2021>	100	< 10 Million	26,000	cfu's/g	1
Coliforms	AOAC 991.14	100	< 10,000	800	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	< 100,000	None Detected	cfu's/g	1
Mold (High Count)	USP <2021>	100	< 100,000	12000	cfu's/g	1
Heavy Metals	ARL ICPMS 2.60					1
Arsenic (As)	ARL ICPMS 2.60	0.001	< 2	0.059	ppm	1
Cadmium (Cd)	ARL ICPMS 2.60	0.001	< 0.85	0.031	ppm	1
Mercury (Hg)	ARL ICPMS 2.60	0.001	< 0.41	0.025	ppm	1
Lead (Pb)	ARL ICPMS 2.60	0.001	< 1.2	0.396	ppm	1
Mitragynine Package	HPLC 2.046					1
Mitragynine	HPLC 2.046	0.1	0.25-2.00	1.32	%	1
7-Hydroxy-Mitragynine	HPLC	0.04	0.000-0.100	<0.040	%	1

Form# arlcoa031201a

Printed on: Oct 28, 2020 4:37 PM

experience • professionalism • value

Released by:  Jacob Teller

Oct 28, 2020

Page 1

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.