

## **CERTIFICATE OF ANALYSIS**

STATUS: RELEASED REVISION: 00

DATE: 10/28/2021

Analysis ID No.	214118
TDA License No.	2020002
ISO/IEC No.	1055838
Purchase Order:	20210947
Page No.	Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Austin Leaf, LLC	Kratom Leaf Powder
Address:	Submitted Sample Lot:
Austin, TX	0001613
Phone Number:	Submitted Sample Description:
833-AUSTIN-1	Green Powder in Plastic Bag w/ Twist Tie; Stored Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
N/A	Kratom Leaf Powder / Plant Matter

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.589 w/w% 15.892 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.288 w/w% 2.880 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.222 w/w% 2.219 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.380 w/w% 3.797 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.01 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.010 w/w% 0.103 mg/g	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.056 w/w% 0.405 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.545 w/w% 25.446 mg/g	Results Reported

HEAVY METALS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1000 ppb	788.1 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	25.1 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1500 ppb	384.9 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	24.7 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 200,000 ppb	2,067.5 ppb	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA <u>Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com</u> This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



## **CERTIFICATE OF ANALYSIS**

STATUS: RELEASED REVISION: 00 DATE: 10/28/2021 
 Analysis ID No.
 214118

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20210947

 Page No.
 Page 2 of 2

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	20 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	20 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories	Santé Sample ID: 214118
8201 East Riverside Drive, STE 650	Receipt Date: 10/26/2021 / 12:59 PM CST / M Cardona
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 10/26/2021

## ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract). ©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY			
Version	Effective Date	Summary of Changes	
00	10/28/2021	Initial Release	

PRODUCT SAMPLE / IMAGE		
	214118 0001613	
REVIEW	ED AND APPROVED BY	
DocuSigned by:		
Brian Sloat	28 October 2021   8:00:29 PM PDT DD-MM-YY	
Brian Sloat, Ph.D. 1DA7685D65C740B	Date	
Chief Scientific Officer / Quality Manager Santé Laboratories		

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com