



Certificate of Analysis for

2603 Joel Wheaton Rd, Suite 400
Houston, TX 77082
Phone: (424) 351-5767

Received: 07/01/2023 @ 19 °C
Report ID: 3033

Sample ID: 2306435 - 06 Description: Green

AC.1a: AC by mass via AOAC 990.12 (Petrifilm™) Analyzed 07/02/23

Aerobic Plate Count 5,000 CFU/g

CC.1a: CC by mass via AOAC 991.14, 998.03 (Petrifilm™) d 07/02/23

Total Coliform Bacteria 100 CFU/g

EC.1a: EC by mass via AOAC 991.14, 998.08 (Petrifilm™) d 07/02/23

Escherichia coli < 100 CFU/g

M 1 M D M 200 /M d 07/02/23

Arsenic (As)	0.050	mg/kg (ppm)	Cadmium (Cd)	0.033	mg/kg (ppm)
Lead (Pb)	0.219	mg/kg (ppm)	Mercury (Hg)	0.01	mg/kg (ppm)

M 1 M r 201 1 d 07/02/23

7-Hydroxymitragynine	< 0.010	%	Mitragynine	1.0	%
----------------------	---------	---	-------------	-----	---

1 0 1201 2013 02 R d 07/02/23

Salmonella spp. Negative /25 g

1 r 2003 0 2003 0 2003 11 (Petrifilm™) Analyzed 07/03/23

Staphylococcus aureus < 100 CFU/g

1 1 2 103 111 121 1 091301 R d 07/03/23

Shiga toxin-producing E. coli Negative /25 g

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 07/03/23

Yeast and Mold 11,000 CFU/g

Mitragynine concentration includes Paynantheine at approximately 0.2 - 0.4%.

RPC 07-03-23

Reported By:

Ryan Connelly, Chemistry Laboratory Manager, 07/03/2023